


Hinges
鉸鏈




M5 沉頭螺絲固定 Countersunk Screw M5



材質可做全不銹鋼或鋅合金
SUS material upon request or zinc alloy

M5 鑲嵌螺柱 With Threaded Studs M5




鋅合金, 不銹鋼銷軸和螺柱, 表面處理可做黑色塗裝和電鍍亮鉻
Zinc die, SUS pin and threaded studs, Black powder coated or bright chrome

螺絲固定鉸鏈 Screw-on Hinge 40x40

表面處理 Surface	M5 沉頭螺絲固定 Countersunk Screw M5	M5 鑲嵌螺柱 With Threaded Studs M5
黑色塗裝 Black Powder Coated	B-226-3	B-226-3A
亮鉻 Bright Chrome	B-226-3C	B-226-3AC
不銹鋼拋砂面 304 SUS304	BS-226-3	
不銹鋼砂面黑色 304 SUS304	BS-226-3B	
不銹鋼鏡面拋光 304 SUS304	BS-226-3C	




M6 沉頭螺絲固定 Countersunk Screw M6



材質可做全不銹鋼或鋅合金
SUS material upon request or zinc alloy

M6 鑲嵌螺柱 With Threaded Studs M6



鋅合金, 不銹鋼銷軸和螺柱, 表面處可做黑色塗裝和電鍍亮鉻
Zinc die, SUS pin and threaded studs, Black powder coated or bright chrome


螺絲固定鉸鏈 Screw-on Hinge 50x50

表面處理 Surface	M6沉頭螺絲固定Countersunk Screw M6	M6鑲嵌螺柱 With Threaded Studs M6
黑色塗裝 Black Powder Coated	B-226-2	B-226-2A
亮鉻 Bright Chrome	B-226-2C	B-226-2AC
不銹鋼拋砂面304 SUS304	BS-226-2	
不銹鋼砂面黑色304 SUS304	BS-226-2B	
不銹鋼鏡面拋光304 SUS304	BS-226-2C	






M8 沉頭螺絲固定 Countersunk Screw M8



材質可做全不鏽鋼或鋅合金
SUS material upon request or zinc alloy

M8 鑲嵌螺柱 With Threaded Studs M8





鋅合金, 不鏽鋼銷軸和螺柱, 表面處理可做黑色塗裝和電鍍亮鉻, 材質可做全不鏽鋼
Zinc die, SUS pin and threaded studs, Black powder coated or bright chrome,
SUS material upon request

螺絲固定鉸鏈 Screw-on Hinge 60x60

表面處理 Surface	M8沉頭螺絲固定 Countersunk Screw M8	M8鑲嵌螺柱 With Threaded Studs M8
黑色塗裝 Black Powder Coated	B-226-1	B-226-1A
亮鉻 Bright Chrome	B-226-1C	B-226-1AC
不鏽鋼拋砂面304 SUS304	BS-226-1	
不鏽鋼砂面黑色304 SUS304	BS-226-1B	
不鏽鋼鏡面拋光304 SUS304	BS-226-1C	



NEW



鉸鏈: 鋅合金, 銷: 不鏽鋼304
Hinge: Zinc Alloy, Pin: SUS304


麻面黑 Black Textured Powder Coated

Version A (Left) A型 (左裝)


B-226-600L-20


Version B (Right) B型 (右裝)

B-226-600R-20




右裝圖示Right
左裝鉸鏈與之相反





左裝圖示Left
右裝鉸鏈與之相反


NEW



鉸鏈: 鋅合金, 銷軸: 不鏽鋼304
Hinge: Zinc Alloy, Pin: SUS304


麻面黑 Black Textured Powder Coated

Version A (Left) A型 (左裝)	B-226-400L-20
Version B (Right) B型 (右裝)	B-226-400R-20



左裝圖示Left
右裝鉸鏈與之相反


NEW



鉸鏈: 鋅合金, 銷軸: 不鏽鋼304
Hinge: Zinc Alloy, Pin: SUS304

麻面黑 Black Textured Powder Coated


Version A (Left) A型 (左裝)	B-226-500L-20
Version B (Right) B型 (右裝)	B-226-500R-20



鋅合金, 不銹鋼銷軸和螺柱, 表面處理可做黑色塗裝和電鍍亮鉻, 材質可做全不銹鋼
Zinc die, SUS pin and threaded studs, Black powder coated or bright chrome, SUS material upon request

螺絲固定鉸鏈 Screw-on Hinge 60x90

表面處理 Surface	M8鑲嵌螺柱 With Threaded Studs M8
麻面黑 Black Textured Powder Coated	B-226-4A-1
亮鉻 Bright Chrome	B-226-4A-1C



鋅合金, 不銹鋼銷軸和螺柱, 表面處理可做黑色塗裝和電鍍亮鉻, 材質可做全不銹鋼
Zinc die, SUS pin and threaded studs, Black powder coated or bright chrome, SUS material upon request


螺絲固定鉸鏈 Screw-on Hinge 60x120

表面處理 Surface	M8鑲嵌螺柱 With Threaded Studs M8
麻面黑 Black Textured Powder Coated	B-2101-61201-20
亮鉻 Bright Chrome	B-2101-61201-30






M6 沉頭螺絲固定 Countersunk Screw M6





材質可做全不鏽鋼
SUS material upon request



鋅合金, 不鏽鋼銷軸和螺柱, 表面處理可做黑色塗裝和電鍍亮鉻
Zinc die, SUS pin and threaded studs, Black powder coated or bright chrome

螺絲固定鉸鏈 Screw-on Hinge 50x76

表面處理 Surface	M6沉頭螺絲固定 Countersunk Screw M6	M6螺柱螺柱 With Threaded Studs M6
黑色塗裝 Black Powder Coated	B-226-6	B-226-6A
亮鉻 Bright Chrome	B-226-6C	B-226-6AC
不鏽鋼拋砂面 304 SUS304	BS-226-6	





鋅合金, 不銹鋼銷軸和螺柱, 表面處理可做黑色塗裝和電鍍亮鉻
Zinc die, SUS pin and threaded studs, Black powder coated or bright chrome

螺絲固定鉸鏈 Screw-on Hinge 50x63		
表面處理 Surface	M6沉頭螺絲固定 Countersunk Screw M6	M6螺柱螺柱 With Threaded Studs M6
黑色塗裝 Black Powder Coated	B-226-4-2	B-226-4-2A
亮鉻 Bright Chrome	B-226-4-2C	B-226-4-2AC
不銹鋼 316 SUS316	BS-226-4-2	




M6 沉頭螺絲固定 Countersunk Screw M6



鋅合金, 鍍鋅鋼或不銹鋼鉸軸, 表面處理可做黑色塗裝和電鍍亮鉻, 材質可做全不銹鋼
Zinc die, M.S. zinc plated or SUS pin, Black powder coated or bright chrome,
SUS material upon request.

螺絲固定鉸鏈 Screw-on Hinge 60x76

表面處理 Surface	4個 M6沉頭螺絲孔 4Countersunk Screw hole M6	6個 M6 沉頭螺絲孔 6 Countersunk Screw hole M6
黑色塗裝 Black Powder Coated	B-2101-6764-10	B-2101-6766-10
亮鉻 Bright Chrome	B-2101-6764-30	B-2101-6766-30



鋅合金, 不銹鋼鉸軸和螺柱, 表面處理可做黑色塗裝和電鍍亮鉻
Zinc die, SUS pin and threaded studs, Black powder coated or bright chrome,
SUS material upon request.


螺絲固定鉸鏈 Screw-on Hinge

表面處理 Surface	M6沉頭螺絲孔 4Countersunk Screw M6	M6 鑽嵌螺柱 With Threaded Studs M6
黑色塗裝 Black Powder Coated	B-209-1	B-209-1A
亮鉻 Bright Chrome	B-209-2	B-209-2A



M6 沉頭螺絲固定

Countersunk Screw M6




B-218-1



B-218-2

鋅合金, 不銹鋼銷軸, 表面處理可做黑色塗裝和電鍍亮鉻, 材質可做全不銹鋼
Zinc die, SUS pin, Black powder coated or bright chrome,
SUS material upon request.

處理 Surface	沉頭螺絲固定 Countersunk Screw M6	M6 鑲嵌螺柱 With Threaded Studs M6
黑色塗裝 Black Powder Coated	B-218-2	B-218-1
亮鉻 Bright Chrome	B-218-2C	B-218-1C



鋅合金, 不銹鋼銷軸和螺柱, 表面處理可做黑色塗裝和電鍍
Zine die, SUS pin and threaded studs, Black powder coated or bright chrome.

	帶螺柱型 With threaded studs	帶螺絲孔型 With threaded hole
A型(左裝) Version A (Left)	B-2106-501-L20	B-2106-500-L10
B型(右裝) Version B (Right)	B-2106-501-R20	B-2106-500-R10




B-226-5A



B-226-7A

B-226-5A




鋅合金, 不銹鋼銷軸和螺柱, 表面處理黑色塗裝
Zine die, SUS pin, Black powder coated.

螺絲固定鉸鏈 Screw-on Hinge

B-226-5A


B-226-7A



鋅合金, 不銹鋼銷軸和螺柱, 表面處理黑色塗裝
Zine die, SUS pin, Black powder coated.

螺絲固定鉸鏈 Screw-on Hinge


B-226-7A




鋅合金, 黑色塗裝, 不銹鋼銷軸, PA夾緊銷軸
Zinc die, black textured powder coated, SUS pin, PA clamping pin

左裝型 Left side	B-2107-L
右裝型 Right side	B-2107-R

大型 Large Size



小型 Small Size



圓孔型
Round screw hole

內六角孔型
Hex 4mm screw hole

開孔尺寸
Panel Cutout

鉸鏈片: 塑鋼, 銷軸: 聚碳酸脂(PC), 螺母: 不銹鋼
Hinge Leaves: POM, Pin: Polycarbonate, Adjustment screw & nut: Stainless steel

	黑色 Black		乳白色 White	
	圓孔型	內六角孔型	圓孔型	內六角孔型
大型 Large Size	B-272-2	B-272-2-BS	B-272-2-WR	B-272-2-WS
小型 Small Size	B-272	B-272-BS	B-272-WR	B-272-WS



B-2107




B-272-2



B-272



NEW




乙縮醛和尼龍黑

Nylon Black hinge leaves & covers, acetal black hinge pin insert

自由擺動 Free swing		B-2105-0-90	
定位扭矩 Positioning Torque N.M	80°定位 Detented open angle: 80	115°定位 Detented open angle: 115	150°定位 Detented open angle: 150
0.7	B-2105-08007-90	B-2105-11507-90	B-2105-15007-90
1.1	B-2105-08011-90	B-2105-11511-90	B-2105-15011-90
1.7	B-2105-08017-90	B-2105-11517-90	B-2105-15017-90


NEW



乙縮醛和尼龍黑


Nylon Black hinge leaves & covers, acetal black hinge pin insert

品號 Item NO.	止動角度 Detent Angle	定位扭矩 Positioning Torque N.M
B-2104-0-90	自由擺動(無止動) Free swinging(no detents)	~
B-2104-5-90		1.1N.M



黑色PA+GF鉸鏈, 鍍鋅鋼銷軸
Hinge Polyamide GF 30% black, M.S. zinc plated pin

B-2113-01




L型 (左裝) Version L(Left)
B-2115-76604-L

R型 (右裝) Version R(Right)
B-2115-76604-R

鋅合金, 鍍鋅鋼或不銹鋼銷軸, 表面可做黑色塗裝和電鍍
zinc die, M.S. plated or sus pin, black powder coated or bright chrome

螺絲固定鉸鏈 Screw-on Hinge 60x70

表面處理 Surface	左裝 Left	右裝 Right
黑色塗裝 Black Smooth Powder Coated	B-2115-76604-10L	B-2115-76604-10R
亮鍍 Bright Chrome	B-2115-76604-30L	B-2115-76604-30R




黑色PA+GF鉸鏈, 不銹鋼銷軸
Hinge Polyamide GF 30% black, M.S. zinc plated pin

螺絲固定鉸鏈 Screw-on Hinge

B-2116-01-90






動/靜鉸鏈/定位件: 鋅合金, 麻面黑; 丁腈橡膠, 黑色;
壽命試驗次數數據: 25000次。

Hinge Leaf: Zinc Die, Black Textured Powder Coated; O ring: NBR, Black;

CYCLE LIFE: Within 25,000 cycles static torque stay Within ±20% of torque specification.

對稱扭矩N.M Symmetric Nm

扭矩N.M	麻面黑Black Textured Powder Coated	本色 Natural
自由擺動 Free Operating	B-2118-100-20	B-2118-100-11
1.2	B-2118-112-20	B-2118-112-11
1.8	B-2118-118-20	B-2118-118-11
2.3	B-2118-123-20	B-2118-123-11
3.4	B-2118-134-20	B-2118-134-11
4.5	B-2118-145-20	B-2118-145-11




動/靜鉸鏈/定位件: 鋅合金, 麻面黑; 丁腈橡膠, 黑色;
壽命試驗次數數據: 20000次。

Hinge Leaf: Zinc Die, Black Textured Powder Coated; O ring: NBR, Black;

CYCLE LIFE: Within 20,000 cycles static torque stay Within ±20% of torque specification.

對稱扭矩N.M Symmetric Nm

扭矩N.M	麻面黑Black Textured Powder Coated	消光黑 Black smooth powder coated
自由擺動 Free Operating	B-2118-200-20	B-2118-200-10
0.9	B-2118-209-20	B-2118-209-10
1.4	B-2118-214-20	B-2118-214-10
1.8	B-2118-218-20	B-2118-218-10
2.3	B-2118-223-20	B-2118-223-10



動/靜鉸鏈/定位件：鋅合金，麻面黑；丁腈橡膠，黑色；螺釘：SUS304，本色。

壽命試驗次數數據：25000次。


Hinge Leaf: Zinc Die, Black Textured Powder Coated; O ring: NBR, Black; Stud: SUS304, Natural.

CYCLE LIFE: Within 25,000 cycles static torque stay Within ±20% of torque specification.

扭矩 N.M	對稱扭矩 N.M Symmetric N.M
帶螺柱型 With thread studs	麻面黑 Black Textured Powder Coated
1.2	B-209-1R-12
1.8	B-209-1R-18
2.3	B-209-1R-23
3.4	B-209-1R-34
4.5	B-209-1R-45



B-209-1R (螺柱式)



動/靜鉸鏈/定位件：鋅合金，麻面黑；丁腈橡膠，黑色；本色。

壽命試驗次數數據：25000次。

Hinge Leaf: Zinc Die, Black Textured Powder Coated; O ring: NBR, Black; Natural.

CYCLE LIFE: Within 25,000 cycles static torque stay Within ±20% of torque specification.

扭矩 N.M	對稱扭矩 N.M Symmetric N.M
帶螺絲孔型 With thread hole	麻面黑 Black Textured Powder Coated
1.2	B-209-2R-12
1.8	B-209-2R-18
2.3	B-209-2R-23
3.4	B-209-2R-34
4.5	B-209-2R-45





B-209-2R (沉孔式)




1. 壽命試驗次數數據: 25000次
 1. CYCLE LIFE :Within 25,000 cycles static torque stay
 Within±20% of torque specifcaton

NEW



開孔尺寸
Panel cutout



鋅合金阻尼鉸鏈, 不銹鋼銷軸 對稱扭矩
 Zinc screw-in torque hinge, SUS pin N.m Symmetric N.m


扭矩 N.M	麻面黑 Black Textured Powder Coated	灰色 Gray
自由擺動 Free Operating	B-2338-6000-20	B-2338-6000-22
1.36	B-2338-6136-20	B-2338-6136-22
2.26	B-2338-6226-20	B-2338-6226-22
3.16	B-2338-6316-20	B-2338-6316-22
4.07	B-2338-6407-20	B-2338-6407-22




1. 動 / 靜 鉸鏈相對轉動具阻尼力, 力值範圍允許±20%
 2. 壽命試驗次數數據: 20000次

1. Technical requirements:
 1. Within 20% of torque specifcaton;
 2. Within 20,000 cycles static torque stay;

NEW



反 90° REVERSE
 正 180° FORWARDED




PA6+30%GF 黑色, 軸承鋼
 PA6+30%GF Black, bearing steel

不對稱扭矩 N.m Asymmetric N.m		
正向扭矩 N.m Forward Torque N.m	反向扭矩 N.m Reverse Torque N.m	塑料黑色 PA Black
2.3	0.3	B-2135-6023F-90
0.3	2.3	B-2135-6003R-90




NEW

M5沉頭螺絲固定 Countersunk Screw M5



M5 鑲嵌螺柱 With Threaded studs M5



鋅合金阻尼鉸鏈，不銹鋼銷軸
Zinc screw-in torque hinge.SUS pin

對稱扭矩

N.m Symmetric N.m

麻面黑 Black Textured Power Coated		
扭矩 N.m	M5 沉頭螺絲固定 Countersunk Screw M5	M5 鑲嵌螺柱 With Threaded Studs M5
自由擺動 Free Operating	B-226-3R	B-226-3AR
0.9	B-226-3R-09	B-226-3AR-09
1.4	B-226-3R-14	B-226-3AR-14
1.8	B-226-3R-18	B-226-3AR-18
2.3	B-226-3R-23	B-226-3AR-23




1. 壽命試驗次數數據：25000次

1. CYCLE LIFE :Within 25,000 cycles static torque stay Within±20% of torque specfcaton




NEW



M6沉頭螺絲固定 Countersunk Screw M6



M6鑲嵌螺柱 With Threaded Studs M6




反 90° REVERSE
正 180° FORWARDED




鋅合金阻尼鉸鏈，不銹鋼銷軸 對稱扭矩
Zinc screw-in torque hinge.SUS pin N.m Symmetric N.m

麻面黑 Black Textured Power Coated		
扭矩 N.m	M6 沉頭螺絲固定 Countersunk Screw M6	M6 鑲嵌螺柱 With Threaded Studs M6
自由擺動 Free Operating	B-226-2R	B-226-2AR
1.8	B-226-2R-18	B-226-2AR-18
2.3	B-226-2R-23	B-226-2AR-23
3.4	B-226-2R-34	B-226-2AR-34



M8沉頭螺絲固定 Countersunk Screw M8



M8鑲嵌螺柱 With Threaded Studs M8



反 90° REVERSE
正 180° FORWARDED



鋅合金阻尼鉸鏈，不銹鋼銷軸 對稱扭矩
Zinc screw-in torque hinge.SUS pin N.m Symmetric N.m


麻面黑 Black Textured Power Coated		
扭矩 N.m	M8 沉頭螺絲固定 Countersunk Screw M8	M8 鑲嵌螺柱 With Threaded Studs M8
自由擺動 Free Operating	B-226-1R	B-226-1AR
1.36	B-226-1R-13.6	B-226-1AR-13.6
2.26	B-226-1R-22.6	B-226-1AR-22.6
3.16	B-226-1R-31.6	B-226-1AR-31.6
4.07	B-226-1R-40.7	B-226-1AR-40.7

1. 壽命試驗次數數據: 25000次

1. CYCLE LIFE :Within 25,000 cycles static torque stay Within±20% of torque specifcaton



NEW



鋅合金, 亞光黑; 銷軸: 軸承鋼;

Hinge: Zinc Alloy, Black smooth powder coated; Pin: Bearing Steel;

對稱扭矩 N.m Symmetric N.m




黑色塗裝 Black powder Coated	對稱扭矩 Symmetric
B-2119-A-23-10	2.3
B-2119-A-39-10	3.9
B-2119-A-57-10	5.7
B-2119-A-73-10	7.3
B-2119-A-90-10	9.0

不對稱扭矩 N.m Asymmetric N.m


黑色塗裝 Black powder Coated	向前扭矩 Forward Torque	反向扭矩 Reverse Torque
B-2119-A-2317F-10	2.3	1.7
B-2119-A-3930F-10	3.9	3.0
B-2119-A-5740F-10	5.7	4.0
B-2119-A-7354F-10	7.3	5.4
B-2119-A-9067F-10	9.0	6.7
B-2119-A-1078F-10	10.7	7.8
B-2119-A-1290F-10	12.4	9.0
B-2119-A-2317R-10	1.7	2.3
B-2119-A-3930R-10	3.0	3.9
B-2119-A-5740R-10	4.0	5.7
B-2119-A-7354R-10	5.4	7.3
B-2119-A-9067R-10	6.7	9.0
B-2119-A-1078R-10	7.8	10.7
B-2119-A-1290R-10	9.0	12.4

1. 壽命試驗次數資料: 20,000次, 試驗頻率15次/分鐘試驗後, 扭矩衰減不超過現有扭矩的20%。

1. Cycle live: Within 20,000 cycles static torque Stay Within 20% of torque specification.



13型




19型

鋅合金鉸鏈, 不鏽鋼銷軸和PA襯套
Hinge zinc die, m.s.zinc plated pin, PA bousing

高度 Highly	麻面黑 Black Textured Powder Coated	亮鉻 Bright Chrome
13型	B-2327-13-20	B-2327-13-30
19型	B-2327-19-20	B-2327-19-30



未安裝外罩時
without cover



不鏽鋼304, 鏡面拋光
Stainless Steel 304, Bright polishing

外裝鉸鏈 External Hinge


鏡面拋光 Bright polishing

BS-2061



BS-5075-1

BS-5075-2



不銹鋼304,振動研磨
Stainless Steel 304,Vibration Grind

螺絲固定鉸鏈 Screw-on Hinge


表面處理 Surface	帶螺絲孔 With hole	不帶螺絲孔 Without hole
振動研磨 Vibration Grind	BS-5075-1	BS-5075-2



BS-5075-1



BS-5075-2



不銹鋼304,振動研磨
Stainless Steel 304,Vibration Grind


螺絲固定鉸鏈 Screw-on Hinge

振動研磨 Vibration Grind	BS-5065-1
----------------------	-----------



BS-5065-1

NEW



不銹鋼304,振動研磨
Stainless Steel 304,Vibration Grind

螺絲固定鉸鏈 Screw-on Hinge


振動研磨 Vibration Grind	BS-3831
----------------------	---------



BS-3831



大型
Large size



黑色PA螺絲固定鉸鏈,鍍鋅鋼銷軸
Screw-on hinge polyamide GF black, pin M.S. zinc plated

螺絲固定鉸鏈 Screw-on Hinge


M6 沉頭螺絲固定 Countersunk Screw M6

PA 塑料黑色

B-265-1



小型
Small size






黑色PA螺絲固定鉸鏈,鍍鋅鋼銷軸
Screw-on hinge polyamide GF black, pin M.S. zinc plated

螺絲固定鉸鏈 Screw-on Hinge

M5 沉頭螺釘固定 Countersunk Screw M5

PA 塑料黑色

B-265-2



不銹鋼 316、鏡面拋光
Stainless Steel 316、Bright polishing

完美間隙，流暢外型，兩端軸心被鉸鏈片完美包覆。
The middle gap between knuckle and knuckle is perfectly close; Meticulous appearance
Both sides of pin are fully covered by leaf.



MODEL NO.	ØD	H	L	W	P1	P2	P3	T	M	荷重 kg
BS-200-1	8	16	100	100	60	30	30	6	M6	90
BS-200-2	8	16	75	75	50	40		6	M6	70
BS-200-3	6	14	65	65	40	35		5	M5	50
BS-200-4	6	14	50	50	35	20		5	M5	40

unit:m/m



BS-200-1



BS-200-2




BS-200-3



BS-200-4



B-226-1-PEEK



使用強度高的襯套，不會因為磨損產生金屬粉塵
High-strength bushing, so that no metallic particles due to wear are produced.

無塵鉸鏈 CLEAN HINGES


電著塗裝黑色 Black Powder Coated

B-226-1-PEEK



B-3030-B

NEW




鋁合金
Aluminum Alloy

螺絲固定鉸鏈 Screw-on Hinge

表面處理 Surface

A	B	電著塗裝黑色 Black Powder Coated	陽極本色霧面 Anodize Finish-Silver
31	25	B-2531-B	B-2531-G
36	25	B-2536-B	B-2536-G
41	25	B-2541-B	B-2541-G
30	30	B-3030-B	B-3030-G




鋁合金
Aluminum Alloy

螺絲固定鉸鏈 Screw-on Hinge

表面處理 Surface	
電著塗裝黑色 Black Powder Coated	B-4748-B
陽極本色霧面 Anodize Finish-Silver	B-4748-G



B-4748-G



鋁合金
Aluminum Alloy

表面處理 電著塗裝黑色 Black Powder Coated

A型(左裝) Version A(Left)	B型(右裝) Version B(Right)
BD-3119-B-L	BD-3119-B-R



BD-3119-B-L



BD-3119-B-R





B-208-1



B-208-2




B-208-3




可訂製陽極本色鍍面

Can be customizd to Anodize Finish-Silver



鋁合金，表面處理：電著黑色
Aluminum alloy, Black powder coated

Item NO.	A	B	C	D	E	F	G	H	P1	P2	P3
B-208-1	70	75	10	19.5	10.5	6.5	18	6	47	54.5	M6
B-208-2	70	50	10	19.5	10.5	6.5	18		47	30	M6
B-208-3	40	50	6.5	13.5	9	5.5	13		26	30	M5



鋅合金,表面黑色塗裝
Zinc die, black powder coated


A型(左裝) Version A(Left)	B型(右裝) Version B(Right)
B-203-4	B-203-5



B-203-5



B-203-4



鋅合金,表面可做黑色塗裝和電鍍亮鉻
Zinc die, Black powder coated or bright chrome

	黑色塗裝 Black powder coated	亮鉻 Bright Chrome
Version A(Left) A型(左裝)	B-203-1	B-203-1C
Version B(Right) B型(右裝)	B-203-2	B-203-2C

B-203-1





B-203-1C



B-203-2







鋅合金,表面可做黑色塗裝和電鍍亮鉻
Zinc die, Black powder coated or bright chrome



黑色塗裝 Black powder coated	亮鉻 Bright Chrome
B-203-3	B-203-3C

NEW



鋅合金,表面可做黑色塗裝和電鍍亮鉻
Zinc die, Black powder coated or bright chrome

安裝方式 Install Style Coated	螺紋孔 Tapped Hole	噴塑黑 Black Powder	亮鉻 Bright Chrome
正面固定 Front-mount Hing	通孔 Thru hole	B-2201-572-20	B-2201-572-30
隱藏式固定 Concealed-mount	M5X0.8	B-2201-570-220	B-2201-570-230
	Hinge 10-32	B-2201-570-120	B-2201-570-130





安裝示意

鋅合金, 電鍍亮鉻, 黑色塗裝

Zinc die, Bright chrome plated, Black powder coated

亮鉻 Bright Chrome	黑色塗裝 Black powder coated
B-207-1	B-207-2





鋅合金, 鍍鋅鋼或不銹鋼銷軸, 表面可做黑色烤漆和電鍍亮鉻

Zinc die, Black powder coated or bright chrome, M.S. zinc plated or SUS pin.

麻面黑 Black Textured Powder Coated	亮鉻 Bright Chrome
B-2206-20	B-2206-30







鋅合金, 鍍鋅鋼或不鏽鋼銷軸, 表面可做黑色塗裝和電鍍亮鉻
Zinc die, Black powder coated or bright chrome, M.S. zinc plated or SUS pin.

麻面黑 Black Textured Powder Coated

B-2208-20


亮鉻 Bright Chrome

B-2208-30





黑色PA GF30%, 未處理鋼鑲嵌件, 不鏽鋼銷軸
Black PA GF30% body, untreated steel fully molded-in, stainless steel pin

B-2208-PA



不鏽鋼或鍍鋅鋼
Stainless steel or M.S.zinc plated

款式 Version	長度 L Length	不鏽鋼 Stainless Steel	鍍鋅鋼 Steel
三節 Three Joints	L=57.0	B-2210-570-304	B-2210-570-01




不鏽鋼，鏡面拋光
Stainless steel, Bright polishing

BS-204-3







BS-3865-1R 左裝





BS-3865-2L 右裝



BS-3865-3R



BS-3865-4L



安裝示意一


安裝示意二




不鏽鋼 304, 震動研磨

Stainless Steel 304, Shaking bright polishing

焊接固定型 Weld on version		螺絲固定型 Screw on version	
左裝 Left	右裝 Right	左裝 Left	右裝 Right
BS-3865-1R	BS-3865-2L	BS-3865-3R	BS-3865-4L





安裝示意圖
Installation




材質: SUS304(body)
襯套: 樹脂

BS-2205



黑色PA+GF鉸鉸，鍍鋅鋼銷釘
Hinge Polyamide GF 30% black, M.S. zinc plated pin


左裝型 Left Side	B-260-1
右裝型 Right Side	B-260-2



本殼-鋁合金，插銷-不銹鋼 304，陽極處理
Aluminum hinges; Stainless steel pin, Anodize finish

B-250





B-206-1





B-206-2



B-206-3




B-206-4



鋼鐵或不銹鋼
Steel or stainless steel



	型號 ITEM NO.			
鋼鐵 Steel	B-206-1	B-206-2	B-206-3	B-206-4
不銹鋼 SUS 304	BS-206-1	BS-206-2	BS-206-3	BS-206-4



鋼鐵或不銹鋼
Stainless steel or steel

鋼鐵 Steel	不銹鋼 SUS 304
B-70#	BS-70#



小型 Small size



不鏽鋼或鍍鋅鋼
Stainless steel or M.S.zinc plated

款式 Version	長度 L Length	不鏽鋼 Stainless Steel	鍍鋅鋼 Steel
兩節 Two Joints	L=25.6	BS-2207-256-304	B-2207-256-01
三節 Three Joints	L=39.2	BS-2207-392-304	B-2207-392-01

大型 Large size





不鏽鋼或鍍鋅鋼
Stainless steel or M.S.zinc plated

款式 Version	長度 L Length	不鏽鋼 Stainless Steel	鍍鋅鋼 Steel
兩節 Two Joints	L=32.5	BS-2207-325-304	B-2207-325-01
三節 Three Joints	L=49	BS-2207-490-304	B-2207-490-01

小型 Small size


大型 Large size




不鏽鋼或鍍鋅鋼
Stainless steel or M.S.zinc plated

	款式 Version	長度 L	A	不鏽鋼 Stainless Steel	鍍鋅鋼 Steel
小型 Small size	三節 Three Joints	L=45	30	BS-2207-4530-304	B-2207-4530-01
		L=53	38	BS-2207-5338-304	B-2207-5338-01
大型 Large size	三節 Three Joints	L=50	29	BS-2207-5029-304	B-2207-5029-01
		L=61	40	BS-2207-6140-304	B-2207-6140-01





B-2821-左/L




B-2822-右/R




B-2823-左/L



B-2824-右/R




安裝示意




鋅合金3D螺絲固定鉸鏈, 不鏽鋼銷軸
3D-screw-on hinge zinc die, shaft and grub screw stainless steel


表面處理 Surface	左裝 Left	右裝 Right
麻面黑 Black Textured Powder Coated	B-2821	B-2822



安裝示意




表面處理 Surface	左裝 Left	右裝 Right
麻面黑 Black Textured Powder Coated	B-2823	B-2824



鋅合金,鍍鋅鋼或不銹鋼銷軸,表面可做黑色塗裝和電鍍亮鉻

Zinc die, M.S. zinc plated or SUS pin, Black textured powder coated or bright chrome.


門板厚度 Panel Thickness	A	B	麻面黑 Black Textured Powder Coated	亮鉻 Bright Chrome
Ts=1.6mm	4.6	15	B-216-16	B-216-16-30
Ts=2.0mm	5.1	15	B-216-20	B-216-20-30



鋅合金,鍍鋅鋼或不銹鋼銷軸,表面可做黑色塗裝和電鍍亮鉻

Zinc die, M.S. zinc plated or SUS pin, Black textured powder coated or bright chrome.


門板厚度 Panel Thickness	麻面黑 Black Textured Powder Coated
Ts=2.0mm	B-215-2-20
Ts=3.0mm	B-215-2-30



180°不鏽鋼SUS 316鉸鏈,不鏽鋼銷釘
180° hinge SUS 316, pin SUS 304


門板厚度 Panel Thickness	不鏽鋼 SUS316
Ts=1.50mm	BS-2324-15-316
Ts=2.00mm	BS-2324-20-316

NEW



鋅合金螺絲固定鉸鏈,不鏽鋼銷釘,PA襯套
Screw-on hinge zinc die, pin stainless steel and bushes polyamide

表面處理 Surface	A型 Version A	B型 Version B
麻面黑 Black Textured Powder Coated	B-2124-01-20	B-2124-02-20



A+E型



C+E型




C+F型

鋅合金, 鍍鋅鋼或不銹鋼銷軸, 表面黑色塗裝

Zinc die, Black textured powder coated, M.S. zinc plated or SUS pin.


型式	Version A(Left) A型(左裝)	Version B(Right) B型(右裝)
A+E	B-2308-111AE-20	B-2308-112AE-20
C+E	B-2308-111CE-20	B-2308-112CE-20
C+F	B-2308-111CF-20	B-2308-112CF-20



開孔尺寸
Panel cutout


鋅合金, 鍍鋅鋼或不銹鋼銷軸, 表面黑色塗裝
Zinc die, Black textured powder coated, M.S. zinc plated or SUS pin.

黑色塗裝 Black Powder Coated	藍綠色 Blue Green Powder Coated	紋黑
B-2310-02-10	B-2310-02-60	B-2310-02-70




180°不銹鋼 SUS 316 鉸鏈, 不銹鋼 SUS 304 銷軸
180° hinge sus 316, pin and nut SUS304

	左裝 Left	右裝 Right
不銹鋼 316 SUS 316	BS-2308-111CF-316	BS-2308-112CF-316



180°鋅合金鉸鏈, 鍍鋅鋼銷軸和黃銅墊圈
180° hinge zinc die, black powder coated; m.s. zinc plated; brass washer


表面處理 Surface	麻面黑 Black Textured Powder Coated
鋅合金 Zinc Die	B-2326-500-20



鋅合金, 鍍鋅鋼或不鏽鋼銷軸, 表面黑色塗裝
Zinc die, Black textured powder coated, M.S. zinc plated or SUS pin.

黑色塗裝 Black powder coated


B-2309-10



鋅合金, 塑料銷軸, 表面黑色塗裝
Zinc die, Black textured powder coated, PA pin.


麻面黑Black textured powder coated

B-2312-20

NEW


鋅合金, 不鏽鋼銷軸, 表面塗裝或電著
Zinc die, SUS pin, black powder coated or E-coated

黑色塗裝	Black powder coated	B-2322-01-10
藍灰色塗裝	Black grey powder coated	B-2322-01-66







Version A A型



Version B B型




Version C C型




鋅合金,鍍鋅鋼或不銹鋼鉸鏈,表面可做黑色塗裝和電鍍亮鉻
Zinc die ,M.S. zinc plated or SUS pin,Black powder coated or bright chrome.

	黑色塗裝 Black powder coated	亮鉻 Bright Chrome	沙鉻 Stain Chrome
A型 Version A	B-2315-350-10	B-2315-350-30	B-2315-350-40
B型 Version B	B-2315-285-10	B-2315-285-30	B-2315-285-40
C型 Version C	B-2315-220-10	B-2315-220-30	B-2315-220-40




鋅合金, 不銹鋼銷軸, 表面可做黑色塗裝和沙鉻
Zinc die, SUS pin, Black powder coated or satin chrome.

對稱扭矩 N.m, Symmetric N.m	消光黑 Black Smooth Powder Coated	沙鉻 Stain Chrome
1.2	B-2315-285T12-10	B-2315-285T12-40



鋅合金, 鍍鋅鋼或不銹鋼銷軸, 表面可做黑色塗裝和電鍍亮鉻
Zinc die, M.S. zinc plated or SUS pin, Black powder coated or bright chrome


黑色塗裝 Black Powder Coated	亮鉻 Bright Chrome
B-213	B-213-C



鋅合金靜鉸鏈, 鐵烤漆動鉸鏈, 不銹鋼銷軸
Zinc die door leaf, steel frame leaf, SUS pin

RAL9016	黑色塗裝 Black Powder Coated
B-2328-01-25	B-2328-01-10






不銹鋼SUS
Stainless steel


BS-046

NEW




不銹鋼304, 振動研磨
Stainless steel 304, Vibration Grind

BS-5436





不銹鋼304
Stainless steel 304

BS-14738



不鏽鋼304, 振動研磨
Stainless steel 304, Vibration Grind

BS-236



不鏽鋼304, 振動研磨
Stainless steel 304, Vibration Grind

BS-202








B-201




B-201-3G




安裝示意一



安裝示意二



安裝示意三




後鈕固定片

後鈕座

後鈕固定桿


鋅合金, 鋼鐵或不鏽鋼固定片, 表面可做黑色塗裝和沙鉻
Zinc die, Steel or SUS Fixed sheet, Black powder coated or satin chrome

固定片類型 Weld-on part version	麻面黑 Black Textured Powder Coated	沙鉻 Satin Chrome
A型 Version A 鋼鐵	B-201	B-201-G
B型 Version B 鋼鐵	B-201-3	B-201-3G
A型 Version A 不鏽鋼	BS-201	BS-201-G



鋼鐵或不銹鋼304
Steel or stainless steel 304

不銹鋼 SUS 304	鋼鐵 Steel
B-211	B-211-1



鋼鐵或不銹鋼304
Steel or stainless steel 304

不銹鋼 SUS 304	鋼鐵 Steel
B-205	B-205








BS-2406-012




BS-2406-011


螺絲固定型
Screw on version焊接固定型
Weld on version

鍍鋅鋼或不鏽鋼
M.S. zinc plated or Stainless steel

	不鏽鋼 SUS304	鍍鋅鋼 Steel
螺絲固定型 Screw on version	BS-2406-011-304	B-2406-011-01
焊接固定型 Weld on version	BS-2406-012-304	B-2406-012-01





鍍鋅鋼或不鏽鋼
M.S. zinc plated or Stainless steel



	不鏽鋼 SUS304	鍍鋅鋼 Steel
(尺寸 20.3)(Dim 20.3)	BS-2407-011-304	B-2407-011-01
(尺寸 21.5)(Dim 21.5)	BS-2407-012-304	B-2407-012-01





RL

S
TAINLESS
SERIES

鍍鋅鋼或不鏽鋼

M.S. zinc plated or Stainless steel

	不鏽鋼 SUS304	鍍鋅鋼 Steel
(尺寸 20)(Dim 20)	BS-2407-021-304	B-2407-021-01
(尺寸 24.5)(Dim 24.5)	BS-2407-022-304	B-2407-022-01




鍍鋅鋼或不鏽鋼

M.S. zinc plated or Stainless steel


	不鏽鋼 SUS304	鍍鋅鋼 Steel
(尺寸 20)(Dim 20)	BS-2407-031-304	B-2407-031-01
(尺寸 24.5)(Dim 24.5)	BS-2407-032-304	B-2407-032-01






鍍鋅鋼或不銹鋼
M.S. zinc plated or Stainless steel

不銹鋼 SUS304	鍍鋅鋼 Steel
BS-2408-01-304	B-2408-01-01



鍍鋅鋼或不銹鋼
M.S. zinc plated or Stainless steel

不銹鋼 SUS304	鍍鋅鋼 Steel
BS-2408-02-304	B-2408-02-01




鍍鋅鋼或不銹鋼304、鉸鏈銷環:聚甲陸,紅色
M.S. zinc plated or SUS304、Shaft clamping ring:POM,Red

不銹鋼 SUS304	鍍鋅鋼 Steel
BS-2408-03-304	B-2408-03-01




NEW




產品編號 PART.NO.	材質及表面處理 Material & Finish	款式 Version
B-2421-011-01	鍍鋅鋼 M.S.zinc plated	A型 Version A
BS-2421-011-304	不銹鋼本色 SUS304,Natural	
B-2421-012-01	鍍鋅鋼 M.S.zinc plated	B型 Version B
BS-2421-012-304	不銹鋼本色 SUS304,Natural	

A型
Version AB型
Version B




鍍鋅鋼或不鏽鋼
M.S. zinc plated or Stainless steel

高度 Height	不鏽鋼 SUS304	鍍鋅鋼 Steel
H=20	BS-2410-20-304	B-2410-20-01
H=17	BS-2410-17-304	B-2410-17-01




B-2411-02-20




鍍鋅鋼或不鏽鋼
M.S. zinc plated or Stainless steel

	長度 L=40	長度 L=50	長度 L=60	長度 L=80
不鏽鋼 SUS304	BS-2412-40-304	BS-2412-50-304	BS-2412-60-304	BS-2412-80-304
鍍鋅鋼 Steel	B-2412-40-01	B-2412-50-01	B-2412-60-01	B-2412-80-01



鋅合金，鍍鉻
Zinc die, Bright chrome plated


B-1470



鋅合金，鍍鉻
Zinc die, Bright chrome plated


B-1132






鋅合金, 鍍鉻
Zinc die, Bright chrome plated

B-1332




鋅合金, 鍍鉻
Zinc die, Bright chrome plated

B-1336



B-712

NEW



開孔尺寸
Panel Cutout



表面處理 Finish

黑色塗裝 Black Powder Coated

亮鉻 Bright Chrome

不鏽鋼 304 SUS304




型號 Item NO.

B-2137-830-10

B-2137-830-30

BS-2137-830-304







安裝示意

鋅合金·鍍鉻
Zinc die, Bright chrome plated


商品編號 Product NO.	A	B	C	D	E	F	G	H
B-45	45	37	5	13	31	21.5	Ø4.3	18
B-60	60	36	6	13	47.8	21.7	Ø4.3	31.5
B-70	70	47.5	7	16	51.5	26.5	Ø4.3	34
B-95	95	54.5	9	19	77.6	33	Ø5	52

unit:m/m



安裝示意2


開門角度110°



安裝示意1

鍍鋅鋼·尼龍端套
M.S. zinc plated, PA fixation-set

B-257



黑色PA鉸鏈，鋅合金銷軸
Black PA hinge, zinc die pin shaft

B-2414-01-90





Lined area for writing, consisting of horizontal lines.

力卡實業有限公司
LEEKA INDUSTRIAL CO.,LTD.

407台中市西屯區工業區三十六路21-1號
No.21-1, 36TH RD., TAICHUNG INDUSTRIAL PARK,
TAICHUNG 407, TAIWAN, R.O.C.

TEL : +886-4-2359 8798
FAX : +886-4-2359 8762
VAT number : 24579163
E-mail : info@leeka.com.tw



www.leeka.com.tw



WELCOME TO VISIT OUR WEBSITE

